Appl. No.

10/776,391

Filed

February 11, 2004

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A universal remote control device for effecting a same function on a plurality of at least tweny different remotely controlled devices, comprising:

a housing;

an actuator within the housing;

a database of encoded signals for effecting the same function on said plurality of at least tweny different remotely controlled devices; and

a signal emitter configured to emit the encoded signals so as to effect the same function for each of said plurality of different devices in response to actuation of the actuator with no more than ½ second between each encoded signal.

- 2. (Original) The device of Claim 1, wherein the same function is to power the device off.
- 3. (Original) The device of Claim 1, wherein the same function is to mute the device.
 - 4. (Canceled)
 - 5. (Canceled)
 - 6. (Canceled)
 - 7. (Original) The device of Claim 1, wherein the device is a television.
- 8. (Currently Amended) The device of Claim 1, wherein the device is a stereo or a video player, such as a VCR or DVD player.
- 9. (Original) The device of Claim 1, wherein the housing is configured to resemble a smiley face.
- 10. (Original) The device of Claim 9, wherein the actuator is a button on the smiley face.
- 11. (Original) The device of Claim 10, wherein the button is a nose on the smiley face.
- 12. (Original) The device of Claim 9, wherein the signal emitter is an eye on the smiley face.
- 13. (Original) The device of Claim 1, additionally comprising a second signal emitter.

Appl. No.

10/776,391

Filed

February 11, 2004

- 14. (Original) The device of Claim 13, wherein both signal emitters are eyes on a smiley face.
- 15. (Original) The device of Claim 1, wherein the signal emitter is an infrared (IR) light emitting diode (LED).
- 16. (Original) The device of Claim 1, wherein there is no more than between 1/10 second and about 1/4 second between each encoded signal.
- 17. (Currently Amended) The device of Claim 1, wherein there is no more than between 1/10 second and ½ second between each encoded signal.
- 18. (Original) The device of Claim 1, wherein the device controls only a single function.
 - 19. (Original) The device of Claim 1, wherein the device is in the form of a keychain.
- 20. (Currently Amended) A method for effecting a function of a remotely controlled device, comprising:

pointing a universal remote device in the direction of the remotely controlled device, said universal remote device comprising a database of encoded signals for effecting the function on a plurality of at least tweny different remotely controlled devices;

actuating an actuator on the universal remote device, thereby causing the device to send the encoded signals for the at least twenty different devices from the database to a signal emitter on the universal remote device; and

emitting the encoded signals from the signal emitter so as to effect the function on said remotely controlled device without selecting a set of encoded signals for the universal remote device.

- 21. (Original) The method of Claim 20, wherein the encoded signals are sent only a single time to the signal emitter.
 - 22. (Original) The method of Claim 20, wherein the signals emitted are infrared light.
- 23. (Original) The method of Claim 20, further comprising pointing the universal remote device in the direction of a second remotely controlled device and repeating the actuating and emitting steps.
- 24. (Original) The method of Claim 20, wherein the function effected is powering off the device.

Appl. No. Filed 10/776,391

February 11, 2004

25. (Original) The method of Claim 20, wherein the function effected is muting the device.

- 26. (Currently Amended) The method of Claim 20, further comprising pointing the universal remote device in the direction of the <u>same</u> remotely controlled device a second time and repeating the actuating and emitting steps.
- 27. (Original) The method of Claim 26, wherein the function is reversed upon repeating the actuating and emitting steps.
- 28. (Original) The method of Claim 27, wherein the remotely controlled device is turned on when the function is reversed.
- 29. (Original) The method of Claim 20, wherein the encoded signals are emitted with less than ½ second between each encoded signal.
- 30. (Currently Amended) The method of Claim 20, wherein the encoded signals are emitted with less than between 1/10 second and about 1/4 second between each encoded signal.
- 31. (Currently Amended) The method of Claim 20, wherein the encoded signals are emitted with less than between 1/10 second and ½ second between each encoded signal.
- 32. (New) The device of Claim 1, wherein the device controls no more than two functions, wherein the functions are selected from the group consisting of power on/off, mute and closed caption.
- 33. (New) The method of Claim 20, wherein the device controls no more than two functions, wherein the functions are selected from the group consisting of power on/off, mute and closed caption.
 - 34. (New) The device of Claim 8, wherein the video player is a VCR or DVD player.